
BASILUX
ILLUMINAZIONE

- New items Mar '09 -



285/A1.34

Nikel
Crystall glasses
dm.11x20 h.12 cm.
Max.60W E14 250V



285/P3.34

Nikel
Crystall glasses
d.40 h.33 cm.
Max.3x60W E14 250V



285/L5.28

24Kt Gold plated
Crystall glasses
d.50 h.33-70 cm.
Max.5x60W E14 250V



285/TE3.34

Nikel
Crystall Glasses
d.40 h.145 cm.
Max.3x60W E14 250V

285/A2.34
Nikel
Crystall Glasses
dm.32x18 h.12 cm.
Max.2x60W E14 250V



285/T1.28
24Kt Gold plated
Crystall Glasses
dm.13x15 h.35 cm.
Max.60W E14 250V





206/L7.54

Chrome
Crystall glasses
dm.70 h.40-120 cm.
Max.7x60W E14 250V



206/T2.28

24Kt Gold plated
Crystall glasses
d.42x20 h.58 cm.
Max.2x60W E14 250V



206/L5.28

24Kt Gold plated
Crystall glasses
dm.58 h.40-110 cm.
Max.5x60W E14 250V



206/A2.28

24Kt Gold plated
Crystall glasses
d.33x13 h.33 cm.
Max.2x60W E14 250V



206/T1.54

Chrome
Crystall glasses
dm.18 h.43 cm.
Max.60W E14 250V



207/L3.28

24Kt Gold plated
Crystall glasses
dm.46 h.30-105 cm.
Max.3x60W E14 250V



207/A1.28

24Kt Gold plated
Crystall glasses
d.10x23 h.14 cm.
Max.60W E14 250V



207/L5.54

Chrome
Crystall glasses
dm.50 h.35-110 cm.
Max.5x60W E14 250V



285/L5.03

Burnished
d.40 h.30/110 cm.
Max.5x40W E14 250V

285/A1.03
Burnished
dm.25x18 h.14 cm.
Max.2x40W E14 250V



285/L6.03
Burnished
dm.56 h.40/120 cm.
Max.6x40W E14 250V





293/P5.34

Nikel

White sat. Glass
dm.60 h.33 cm.

Max.5x40W G9 230V



293/T1.28

24Kt Gold plated
Ambra sat. Glass
d.13x20 h.43 cm.

Max.40W G9 230V

293/A1.34

Nikel
White sat. Glass
d.10x30 h.28 cm.
Max.40W G9 230V



293/L5.28

24Kt Gold plated
Ambra sat. Glass
dm.60 h.40-120 cm.
Max.5x40W G9 230V



G259/S1.35

Nikel brushed
White sat glass
d.48 h.40/120 cm.
Max.75W E27 250V

G259/P2.35

Nikel brushed
White sat glass
d.50 h.12 cm.
Max.2x60W E27 250V

M259/P2.35

Nikel brushed
White sat glass
d.40 h.10 cm.
Max.2x60W E27 250V



P259/S1.35

Nikel brushed
White sat glass
d.38 h.40/120 cm.
Max.75W E27 250V

P259/P2.35

Nikel brushed
White sat glass
d.34 h.8 cm.
Max.2x60W E27 250V



P213/P5.26

Max.5x60W E14 230V
24Kt Gold plated
Diffusore white glass
d.40 h.16 cm.

G213/P5

Max.5x100W E27 230V
d. 50 h.20 cm.



213/A1

Max.100W E27 230V
24Kt Gold plated
Sat glass
dm.40x20 h.5 cm.

G262/P2.26

Gold plated
White alabaster glass
d.50 h.10 cm.
Max.2x60W E27 250V

262/A1.26

Gold plated
White alabaster glass
dm.30x10 h.15 cm.
Max.60W E27 250V

G262/P2.03L

Burnished + wood
White alabaster glass
d.53 h.12 cm.
Max.2x60W E27 250V

262/A1.03L

Burnished + wood
White alabaster glass
dm.30x11 h.16 cm.
Max.60W E27 250V



262/P1.26

Gold plated
White alabaster glass
d.30 h.8 cm.
Max.60W E27 250V

P262/P2.03L


Burnished + wood
White alabaster glass
d.40 h.11 cm.
Max.2x60W E27 250V

P262/P2.26

Gold plated
White alabaster glass
d.40 h.10 cm.
Max.2x60W E27 250V

262/P1.03L

Burnished + wood
White alabaster glass
d.30 h.9 cm.
Max.60W E27 250V



Art. 251.72.02.35

150W E27 + 60W Gu10 230V

Nickel Brushed

Opal White Triplex Glas d.35 h.30 cm.

d. 35 h.165 cm.



Art. 251.72.02.35

150W E27 + 60W Gu10 230V

Nickel Brushed

Opal White Triplex Glas d.30 h.30 cm.

d. 30 h.165 cm.

Basilux srl

Via Erizzo, 193

31049 Valdobbiadene – Treviso – Italy

Tel. +39 0423 975447 – Fax. +39 0423 976044

e.mail: box@basilux.com